

**Quality Today
Safety Tomorrow**

We Make Your Job Easier



MMM
PIEMME BROKER
OIL FIELD SUPPLIES

**SKILFULNESS AND EFFICIENCY
IN SUPPLIES FOR ANY APPLICATION**



MMM PIEMME BROKER

Efficiency, reliability and professionalism: this is what **PIEMME BROKER** has to offer its clients.

Our company specialises in the supply of products, material and equipment for the Oil & Gas, manufacturing, chemical, petrochemical and refining industries.

The company was founded in 1995, at which time it already had 15 years' experience of working with advanced technology products and manufacturers.

PIEMME BROKER is able to assist its clients in each stage of the identification, selection and ordering process.

This will enable a fast, efficient and successful execution of the purchasing and procurement of crucial and often 'time critical' electrical, control and instrumentation equipment.

From conception to implementation you can trust **PIEMME BROKER** to take care the complete scope of supply irrespective of whether it's a tiny component or a bulk package for a major project.

Our pledge is to always provide our customers with total commitment and satisfaction.

With a flexible and friendly team, consisting of highly experienced and dedicated professionals, with expertise covering many industry sectors, **PIEMME BROKER** is fully equipped to meet its clients' increasingly challenging and demanding requirements.

Furthermore it is able to provide knowledge of domestic and international markets along with the supply of any industrial product, particularly when the case is related to critical conditions or to specific equipment and programs.

To further enhance these activities, **PIEMME BROKER** is also the Italian supply partner of internationally recognized and prestigious brands such as:

MCT BRATTBERG - Multicable transit resistant to fire, water and smoke and ATEX certified

HAWKE INTERNATIONAL - Cable glands, Ex Connectors, Accessories, Control Stations and Junction Boxes for world markets

VICTOR LIGHTING - Globally approved lighting equipment for Harsh and Hazardous Areas

OGLAEND SYSTEM - Cable trays, multidisciplinary supports

HAYATA - Stainless Steel cable ties manufacturer.



EXCLUSIVE DISTRIBUTOR BRANDS

 Cable Glands, Adaptor, Reducer, Breather Drain HAWKE International	ATEX 	 4
 JUNCTION BOX - GRP - Stainless Steel HAWKE International	ATEX 	 5
 Multicable and Pipe Transit MCT BRATTBERG	ATEX 	 8 9
 The Complete Multidiscipline Support System Cable tray and ladder - ØGLÆND SYSTEM		 10 12
 All type of stainless steel cable ties and banding HAYATA		 14 15

FULL PACKAGE SOLUTION

USA Market Package	 7
Earthing Material and Lighting Protection	 13
Tools Ega Master	 16
Maintenance Spare Parts and Consumable Packages	 17
Certification EN ISO 9001:2008	 18
History - Main Customers	 19



Explosion Proof Electrical Equipments

HAWKE
International

Certificates

ATEX 



 **EC IEC**



Cable Glands

"COLD FLOW" Characteristics

Inspectable deluge seal
(DTDS)




Diaphragm sealing system
(Zero Cable Damage)
Cold flow characteristics




Original reversible armour clamp

Inspection after seal



Rear sealing system



Accessories

- Reducers
- Adaptors
- Plug
- Breather drain
- Insulating adaptor





ATEX



AExe II / Exe II




Exe II



CEPEL BR



EAC




GRP

- Wall threading 6/7 mm THICK
- Earthing continuity plate



GRP

- Easy connection
- Fast installation
- Distribution enclosure



- Robust stainless steel construction AISI 316 - 1,2 ÷ 2 mm THICK
- Cable entries on the bottom removable gland plate 2-3 mm THICK
- Easy cable connection



ATEX



EC IEC



EAC

Instrument



Instrument Connector

- 4 way 0,5 - 2,5 m² Max 10A
- 8 way suitable for ethernet application
- Include an integral Hawke cable-gland of armoured and un-armoured cables

Control



Control Connector

- Stainless steel body can have 60 contacts
- Cable range between 0,5 m² and 35 m²
- Cable glands: choose in Hawke range

Power




Power Connector

- Can have 1 to 4 contacts
- Cable range between 50 m² and 630 m²
- Operating voltage 750 V
- Cable glands: choose in Hawke range

Control Stations


GRP



IEC Ex CE EAC



Stainless Steel



USA Market

Electrical System & Control



- *Piemme Broker S.r.l is dedicated to provide international purchasing and emergency procurements with supplier around the world for oil-field products and equipments.*



- *We have opened a network in USA Market through the cooperation of important companies based in Houston.*
- *We are able to submit offers with American manufacturer and have a logistic solution able to satisfy all of customer requests.*

Rig Material



Fire barriers and seals penetration systems for cables and pipes for sea and land application. Reliable seals fire and explosion proof, water, smoke and gases tight.

MCT Brattberg is assessed and certified in accordance with the standard ISO 9001. The seals are certified by a wide variety of classification societies all over the world.

The MCT Brattberg system is ingeniously simple. It is built around two components: the frame and the insert block.



ATEX




Frames

- **RGS** type for standard marine applications.
- **RGSC** and **RGSR** types with round corners for heavy duty marine applications.
- **RGB** type land applications.
- **RGP** type for installation in holes or pipe.

Frame material


- ASTM A 36 steel
- AISI 316 stainless steel
- Aluminium
- Composite resin with glass fibre (RGS6 only)

EMC System




Mounting Components and Lycron Prelubricated Blocks

- Compression plate - SMC
- End packing - STG1
- Presswedge - PTG
- Stay plate
- Spare block
- U-block module
- Standard block
- Addblock module (variable hole diameter) Insert blocks (2 halves)
- EMP/EMI Version protection (against electromagnetic pulses and interferences)




Stayplate




Compression plate




STG-Endpacking




PTG-Presswedge




Standard Blocks



AddBlocks



U Blocks




Spare Blocks



ØGLAEND
SYSTEM

The complete Multidiscipline
Support System



Cable Tray Systems




SPB


Our Cable Tray Systems are for electrical, instrument and telecom applications and include fittings and accessories such as light fittings etc.



Cable Ladder Systems




OE



FOE (GRP)

Our Ladder Systems are designed for space efficiency and optimum cable protection. The design of the side rail combines great strength with light weight. A range of different fittings and accessories are available such as Elbows, T-Pieces, Reducers etc.



LOE


Ladders for Ship



NEMA Listed

EC IEC 61537


Support Systems




Mekano™

The Mekano support system includes a range of different designs. Channels are installed back to back using vibration proof fasteners. Our unique patented Triangular Support Channels have significant torsional strength and constructional versatility. The triangular design with small perforations at the front and large perforations at the back secures a lightweight, flexible and easily installed support solution.


Accessories



Etin™ and Inko™ Tubing Clamps



Pipe Clamps



Cable Cleats/
Smart Cleats

A wide range of accessories are available, including: Smart Cleats- a short circuit safe cable cleat, Etin and Inko Tubing Clamps and Junction Box Racks and Instrument Stands. A full range of Pipe Clamps are available for piping up to 8".




Junction
Box Rack

The full system is available in Glass Reinforced Polyester (GRP)

- Fire retardant ASFM - E84 Class 1
- Self-extinguishing UL94V-0
- Ultraviolet stability ASTM A570 - ASTM G 514

Material: Polyester Class 1 (C1)
On request: Antistatic (Black colour)
Class 1A (C1A)



Reduce your Total System Cost

MultiGrid™ can reduce the Total System Cost of an EPC project by up to 30 percent thanks to reduced installation time, reduced weight, optimized coordination between disciplines and simplified future modification work. And it improves your safety performance.

MultiGrid™ is an integrated support system for all main disciplines such as electrical cabling, instrumentation, HVAC, piping and telecom. It is a unique and very flexible three component system consisting of starter brackets for either hot or cold work, a broad range of channels and not least the vibration proof bolt system.



Quick installation



Improved safety performance



Flexible cold work solutions




Less weight & volume




Long life & integrity

Self-lock system includes vibration-proof sets



TRADITIONAL

The nut is moveable during vibrations because of side wards thread gap.




OUR STANDARD:


The nut is locked during vibrations because all thread contact stops side wards movement.

3D Modelling

AVEVA PDMS



INTERGRAPH



UNO Channels


Accessories for UNO Channels

Spring Nut




TYPE	21x21 Spring		
	AISI 316	HDG	FIL
NU-M-4106	1371876	1302254	M6
NU-M-4108	1371877	1302255	M8
NU-M-4110	1371878	1302256	M10
NU-M-4112	1371879	1302257	M12

TYPE	41x41 Spring		
	AISI 316	HDG	FIL
NU-M-2106	1371868	1302246	M6
NU-M-2108	1371869	1302247	M8
NU-M-2110	1371870	1302248	M10
NU-M-2112	1371871	1302249	M12



Anti Vibration Solution




Use Oglaend System's self-locking flange nut when mounting splice plates to our FRP ladder or tray system. This prevents joints from loosening in case of vibration.





B AISI 316 (A4)		A AISI 316 (A4)	
SELF-LOCKING FLANGE		HEX BOLT	
	COD		COD
NU-FL-M6	1371971	M6 x 20	PM C001
NU-FL-M8	1371972	M6 x 25	PM C002
NU-FL-M10	1371973	M6 x 30	PM C003
NU-FL-M12	1371343	M6 x 40	PM C004
STANDARD NUT		M6 x 50	PM C005
	COD		
M6	PM C401	M8 x 20	PM C0011
M8	PM C402	M8 x 25	PM C0012
M10	PM C403	M8 x 30	PM C0013
M12	PM C404	M8 x 40	PM C0014
FLAT WASHER		M8 x 50	PM C0015
	COD		
M6	PM C201	M10 x 20	PM C021
M8	PM C202	M10 x 25	PM C022
M10	PM C203	M10 x 30	PM C023
M12	PM C204	M10 x 40	PM C024
WASHER GROWER		M10 x 50	PM C025
	COD		
M6	PM C211	M12 x 20	PM C031
M8	PM C212	M12 x 25	PM C032
M10	PM C213	M12 x 30	PM C033
M12	PM C214	M12 x 40	PM C034
		M12 x 50	PM C035

Earthing Material and Lighting Protection

Ground Rod and Accessories



Cadwell welding system






All Types of Stainless Steel Cables Ties and Banding

Colour banding and tag for easy identification



Hayata's highly durable coated stainless steel ties are a great option for high volume marking and maintenance operations. These fully coated ties resist fading due to weather and harsh environments.

Coated and uncoated



Material

- ASI 304
- AISI 316
- Alluminium



- Easy to install
- Easy visual identification
- Pre-cut lengths come with installed tiger beath buckle
- Durable Hayata coating on stainless steel tie band
- High tensile strength-exceeds industry standards
- Wide variety of lengths and colors



**Battery
powered
cable tie tool**



The BT-200 is Hayata-strong designed for heavy-duty use and abuse in hard to access areas

Buckles and Wing Seals



**Tiger Teeth
Buckles 201 SS**




**Tiger Teeth
Buckles 316 SS**



**Heavy Duty
Buckles 201 SS**



**Wing Seals
201 SS**



**Wing Seals
For Coated Band
316 SS**



**Screw Buckles
201 SS**



Typical Applications

Monel Banding



Heavy Duty


AISI 304
AISI 316

Galvanized
Coated
Steel

Embossed tags are your best bet for easy, long-term identification



Designed for
the Hayata
SmartTag 2500™



Max. No. of Lines: 3 Max No. of Characters Per Line: 11



Max. No. of Lines: 3 Max No. of Characters Per Line: 23

MobileTag 600™

Manual Embossing Machine

The Hayata MobileTag 600™ metal embosser is ideal for low-to-medium volume tagging. Lightweight (33 lbs) and compact for easy transport, this simple-to-use embossing unit offers three different font size.



Material tags

- Stainless steel
- Carbon steel
- Aluminium
- Copper
- Brass

Stainless Steel
Carrier for ID
(C Series)



Used by

- Shipyards
- Military
- Steel plant
- Manufacturers
- Petrochemicals

Cable Markers





Insulated

ATEX 



Non Sparking



Titanium



Pipe Tools

Anti-Drop



Control System



TOOLS
EGA Master S.A.
ART IN INNOVATION



Aquamaster



Titanium

Maintenance and Consumable Packages Is One of Our Mission



PIEMME BROKER is a global provider of industrial equipment, machinery, instruments, apparatus consumable package in Oil & Gas area.

Our structure is able to purchase material nationally, european or internationally. Special requests are our "speciality" if you can't find a product you need, call us and we will help you.

PIEMME BROKER provides all spare parts for plant maintenance and operation.



Certification EN ISO 9001:2008



Offices



Meeting room



Warehouse



History



1995 – After more than 20 Years of experience in supplying electrical and instrumental products PIEMME BROKER S.r.l. was founded in 30 sqm office in PAULLO with 4 employees.

1995 - 2009 – The company continues on its way of distribution market and to enter in Oil & Gas Market started an agreement with different companies: Mct Brattberg, Hawke International, Victor Lighting, Panduit.

2002 – The company moved in to a new office based in PAULLO 120 sqmm with 7 employees.

2009 – This year was marked by an important event; day by day the turnover average increase and PIEMME BROKER invests in a new propriety based in MERLINO with 950 sqmm of warehouse and 250 sqmm of office, with 12 employees.

2010 – PIEMME BROKER obtains the Certificate ISO 9001:2008.



2011 – A new agreement was been signed with Øglænd Systems, leader in support pipe and cable tray in stainless steel and GRP

ISO CERTIFICATION ISO 9001:2008
TÜV PROFICERT

2014 – The structure has been increased with two new Technical Specialists.

2016 – New agreement was been signed with Hayata, Stainless Steel cable ties manufacturer.

Main Customers

ENI
AGIP KCO
SAIPEM SpA
SAIPEM (SNAMPROGETTI)
SAIPEM KAZAKSTAN
ERSAI Caspian Contract LLC
SAIPEM SAUDI ARABIA
SAIPEM PORTUGAL
SAIPEM NIGERIA
SAIPEM SONSUB
PETROMAR
BOS CONGO

ABB GROUP
FINCANTIERI
TECNICAS REUNIDAS
FOSTER WHEELER
TECHNIP ITALY
TECNIMONT
ROSETTI MARINO
GE-NUOVO PIGNONE
TOZZI HOLDING



MMM
PIEMME BROKER

PIEMME BROKER srl

S.P. 181 angolo S.P. 201, n°11 - 26833 MERLINO (LODI) - Tel. +39 02 90 63 36 21 - Fax +39 02 90 63 20 36
info@pmbroker.it - www.pmbroker.it

